

Statue of Liberty AM Radio
(120-0101)

Preparation

Faxback Doc. # 17249

BATTERY INSTALLATION

1. Open the battery compartment cover.
2. Snap the connector over the battery contacts and place it in the compartment.
3. Replace the cover.

1. Rotate the ON/OFF/VOLUME knob clockwise until it clicks on.
2. Adjust the TUNING control for the desired station.
3. Adjust the ON/OFF/VOLUME knob for the desired sound level.
4. Rotating the radio can improve reception.
5. To turn the Radio off, rotate the ON/OFF/VOLUME knob counterclockwise until it clicks off.

If reception becomes weak or distorted, the battery might need replacing. We recommend our Cat. No. 23-553 for longest battery life.

CAUTION: Never leave dead or weak batteries in this unit. Even "leak-proof" batteries can leak damaging chemicals. If you don't plan to use your radio for a week or more, remove the battery.

EARPHONE

For private listening, plug an earphone into the earphone jack. The internal speaker is automatically disconnected when the earphone is plugged in.

Statue of Liberty AM Radio
(120-0101)

Care and Maintenance

Faxback Doc. # 17251

1. Turn power off when you are not using the Radio; this saves battery power.
2. Do not leave your Radio exposed to high temperatures or high humidity for a long time. It may damage the cabinet or construction parts.
3. Clean the case only with a damp cloth. (Don't use solvents or abrasives.)